

Cirona Labs

Order No.: ONYCIR0820-0002324
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0820-CVAP-0009460

Unit Weight: 1.0000g
 Batch#: V-UT-FS-01-0824, Batch Size: 995
 Sample Received: 08/20/2024 05:27
 Report Created: 08/23/2024 22:50
 Sampling SOP 204-NY

V-UT-FS-01-0824

Concentrates & Extracts, Vape





Results

838.340 mg/unit D9-THC	34.390 mg/unit CBG
ND Total CBD	838.34 mg/unit Total THC
902.94 mg/unit Total Cannabinoids	0.174% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Homogeneity Pass	Terpenes Pass
Residual Solvents Pass	Mycotoxins Pass	Heavy Metals Pass
Pesticides Pass		

Dominant Terpenes



Cirona Labs

Order No.: ONYCIR0820-0002324
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0820-CVAP-0009460

Unit Weight: 1.0000g
 Batch#: V-UT-FS-01-0824, Batch Size: 995
 Sample Received: 08/20/2024 05:27
 Report Created: 08/23/2024 22:50
 Sampling SOP 204-NY

V-UT-FS-01-0824

Concentrates & Extracts, Vape



Cannabinoids

SOP 801-NY
 Date/Time Tested: 08/21/2024
 15:50

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/unit
CBDV	4,845.30	ND	ND	ND
CBDa	4,845.30	ND	ND	ND
CBGa	4,845.30	ND	ND	ND
CBG	4,845.30	34.39	3.44	34.39
CBD	4,845.30	ND	ND	ND
THCV	4,845.30	6.08	0.61	6.08
CBN	4,845.30	7.14	0.71	7.14
D9-THC	4,845.30	838.34	83.83	838.34
D8-THC	4,845.30	ND	ND	ND
(6aR,9S)-d10-THC	4,845.30	ND	ND	ND
(6aR,9R)-d10-THC	4,845.30	ND	ND	ND
CBC	4,845.30	16.99	1.70	16.99
THCa	4,845.30	ND	ND	ND
Total CBD		ND	ND	ND
Total THC		838.34	83.83	838.34
Total Cannabinoids		902.94	90.29	902.94

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation;
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 619-NY
 Date/Time Tested: 08/23/2024
 14:29

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria		10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold		1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Homogeneity

Pass

Analyte	Result
Homogeneity	Pass



Kimberly Krisolofsky
 Lead Technical Director

Cirona Labs

Order No.: ONYCIR0820-0002324
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0820-CVAP-0009460

Unit Weight: 1.0000g
 Batch#: V-UT-FS-01-0824, Batch Size: 995
 Sample Received: 08/20/2024 05:27
 Report Created: 08/23/2024 22:50
 Sampling SOP 204-NY

V-UT-FS-01-0824

Concentrates & Extracts, Vape



Terpenes

SOP 620-NY

Date/Time Tested: 08/22/2024 11:50

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		100,000	0.174	Passed	DL-Menthol	161		ND	Tested
a-Bisabolol	161		0.154	Tested	Borneol	161		ND	Tested
Caryophyllene Oxide	161		0.021	Tested	Terpineol	161		ND	Tested
Isoborneol	161		ND	Tested	Nerol	161		ND	Tested
Camphene	161		ND	Tested	Pulegone	161		ND	Tested
b-Myrcene	161		ND	Tested	Geraniol	161		ND	Tested
a-Phellandrene	161		ND	Tested	Geranyl Acetate	161		ND	Tested
d-3-Carene	161		ND	Tested	a-Cedrene	161		ND	Tested
a-Terpinene	161		ND	Tested	b-Caryophyllene	161		< LOQ	Tested
Limonene	161		ND	Tested	a-Humulene	161		ND	Tested
p-Cymene	161		ND	Tested	Valencene	161		ND	Tested
Eucalyptol	161		ND	Tested	cis-Nerolidol	161		ND	Tested
g-Terpinene	161		ND	Tested	trans-Nerolidol	161		ND	Tested
Fenchol	161		ND	Tested	Guaiol	161		< LOQ	Tested
Sabinene Hydrate	161		ND	Tested	b-Pinene	161		ND	Tested
Linalool	161		ND	Tested	Cedrol	161		ND	Tested
Fenchone	161		ND	Tested	Sabinene	161		ND	Tested
Isopulegol	161		ND	Tested	trans-b-Ocimene	161		ND	Tested
Camphor	161		ND	Tested	trans-b-Farnesene	161		ND	Tested
a-Pinene	161		ND	Tested	Terpinolene	161		ND	Tested

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs

Order No.: ONYCIR0820-0002324
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0820-CVAP-0009460

Unit Weight: 1.0000g
 Batch#: V-UT-FS-01-0824, Batch Size: 995
 Sample Received: 08/20/2024 05:27
 Report Created: 08/23/2024 22:50
 Sampling SOP 204-NY

V-UT-FS-01-0824

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 08/21/2024 17:30

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	37	5,000	ND	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	37	5,000	< LOQ	Passed
Chloroform	2	60	ND	Passed
Ethanol	184	5,000	< LOQ	Passed
Ethyl Acetate	184	5,000	ND	Passed
Ethyl Ether	18	5,000	ND	Passed
DMSO		5,000	TIC	Passed
Heptane	18	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	184	5,000	ND	Passed
Methanol	110	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	55	5,000	ND	Passed
Propane	18	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane		1,500	TIC	Passed
Xylenes	243	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

Mycotoxins

SOP 808-NY

Date/Time Tested: 08/23/2024 09:41

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested	Ochratoxin A	4.6	20.0	ND	Passed
B2	4.6		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.6		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.6		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

Cirona Labs

Order No.: ONYCIR0820-0002324
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0820-CVAP-0009460

Unit Weight: 1.0000g
 Batch#: V-UT-FS-01-0824, Batch Size: 995
 Sample Received: 08/20/2024 05:27
 Report Created: 08/23/2024 22:50
 Sampling SOP 204-NY

V-UT-FS-01-0824

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY
 Date/Time Tested: 08/22/2024 11:57

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.191	2.000	ND	Passed
Arsenic	0.191	0.200	ND	Passed
Cadmium	0.191	0.200	ND	Passed
Chromium	0.191	110.000	ND	Passed
Copper	0.229	30.000	ND	Passed
Mercury	0.046	0.100	ND	Passed
Nickel	0.229	2.000	ND	Passed
Lead	0.191	0.500	< LOQ	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Cirona Labs

Order No.: ONYCIR0820-0002324
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0820-CVAP-0009460

Unit Weight: 1.0000g
 Batch#: V-UT-FS-01-0824, Batch Size: 995
 Sample Received: 08/20/2024 05:27
 Report Created: 08/23/2024 22:50
 Sampling SOP 204-NY

V-UT-FS-01-0824

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY

Date/Time Tested: 08/22/2024 12:35

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid		1.00	TIC	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed
MGK-264		0.20	TIC	Passed
Myclobutanil	0.09	0.20	ND	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Cirona Labs

Order No.: ONYCIR0820-0002324
 350 Buell Rd
 New York, 14624
 shane@cironalabs.com
 3157770209

Sample: SNYCIR0820-CVAP-0009460

Unit Weight: 1.0000g
 Batch#: V-UT-FS-01-0824, Batch Size: 995
 Sample Received: 08/20/2024 05:27
 Report Created: 08/23/2024 22:50
 Sampling SOP 204-NY

V-UT-FS-01-0824

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin		1.00	ND	Passed
Chloromequat Chloride		1.00	TIC	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chloromequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.