

## Cirona Labs

Order No.: ONYCIR0820-0002324  
 350 Buell Rd  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

## Sample: SNYCIR0820-CVAP-0009463

Unit Weight: 1.0000g  
 Batch#: V-UT-SK-01-0824, Batch Size: 1099  
 Sample Received: 08/20/2024 05:27  
 Report Created: 08/23/2024 22:48  
 Sampling SOP 204-NY

## V-UT-SK-01-0824

Concentrates & Extracts, Vape




## Results

<b>784.940 mg/unit</b> D9-THC	<b>30.010 mg/unit</b> CBG
<b>ND</b> Total CBD	<b>784.94 mg/unit</b> Total THC
<b>844.71 mg/unit</b> Total Cannabinoids	<b>5.255%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Homogeneity</b> Pass	<b>Terpenes</b> Pass
<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass	<b>Heavy Metals</b> Pass
<b>Pesticides</b> Pass		

## Dominant Terpenes



## Cirona Labs

Order No.: ONYCIR0820-0002324  
 350 Buell Rd  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

## Sample: SNYCIR0820-CVAP-0009463

Unit Weight: 1.0000g  
 Batch#: V-UT-SK-01-0824, Batch Size: 1099  
 Sample Received: 08/20/2024 05:27  
 Report Created: 08/23/2024 22:48  
 Sampling SOP 204-NY

## V-UT-SK-01-0824

Concentrates & Extracts, Vape



## Cannabinoids

SOP 801-NY  
 Date/Time Tested: 08/21/2024  
 15:50

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/unit
CBDV	4,510.77	ND	ND	ND
CBDa	4,510.77	ND	ND	ND
CBGa	4,510.77	ND	ND	ND
CBG	4,510.77	<b>30.01</b>	<b>3.00</b>	<b>30.01</b>
CBD	4,510.77	ND	ND	ND
THCV	4,510.77	<b>6.05</b>	<b>0.61</b>	<b>6.05</b>
CBN	4,510.77	<b>6.63</b>	<b>0.66</b>	<b>6.63</b>
D9-THC	4,510.77	<b>784.94</b>	<b>78.49</b>	<b>784.94</b>
D8-THC	4,510.77	ND	ND	ND
(6aR,9S)-d10-THC	4,510.77	ND	ND	ND
(6aR,9R)-d10-THC	4,510.77	ND	ND	ND
CBC	4,510.77	<b>17.08</b>	<b>1.71</b>	<b>17.08</b>
THCa	4,510.77	ND	ND	ND
Total CBD		ND	ND	ND
Total THC		<b>784.94</b>	<b>78.49</b>	<b>784.94</b>
Total Cannabinoids		<b>844.71</b>	<b>84.47</b>	<b>844.71</b>

### Notes:

**Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC**  
**Total CBD = CBDa \* 0.877 + CBD**  
**Cannabinoids= Sum of all cannabinoids**  
**LOQ = Limit of Quantitation;**  
**The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.**  
**Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported**

## Microbials

SOP 401-NY SOP 619-NY  
 Date/Time Tested: 08/23/2024  
 14:29

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria		10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold		1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

### Notes:

**Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**

## Homogeneity

Pass

Analyte	Result
Homogeneity	Pass

## Cirona Labs

Order No.: ONYCIR0820-0002324  
 350 Buell Rd  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

## Sample: SNYCIR0820-CVAP-0009463

Unit Weight: 1.0000g  
 Batch#: V-UT-SK-01-0824, Batch Size: 1099  
 Sample Received: 08/20/2024 05:27  
 Report Created: 08/23/2024 22:48  
 Sampling SOP 204-NY

## V-UT-SK-01-0824

Concentrates & Extracts, Vape



## Terpenes

SOP 620-NY

Date/Time Tested: 08/22/2024 11:50

Pass

Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status	Analyte	LOQ (ug/mL)	Limit (ug/mL)	%	Status
Total Terpenes		100,000	<b>5.255</b>	Passed	Isoborneol	165		ND	Tested
b-Caryophyllene	165		<b>1.463</b>	Tested	DL-Menthol	165		ND	Tested
Limonene	165		<b>0.921</b>	Tested	Borneol	165		ND	Tested
Linalool	165		<b>0.429</b>	Tested	Nerol	165		ND	Tested
a-Humulene	165		<b>0.389</b>	Tested	Pulegone	165		ND	Tested
trans-Nerolidol	165		<b>0.368</b>	Tested	g-Terpinene	165		ND	Tested
b-Pinene	165		<b>0.357</b>	Tested	Geranyl Acetate	165		ND	Tested
Caryophyllene Oxide	165		<b>0.250</b>	Tested	a-Cedrene	165		ND	Tested
b-Myrcene	165		<b>0.236</b>	Tested	p-Cymene	165		ND	Tested
cis-Nerolidol	165		<b>0.227</b>	Tested	a-Terpinene	165		ND	Tested
a-Pinene	165		<b>0.192</b>	Tested	Valencene	165		ND	Tested
a-Bisabolol	165		<b>0.174</b>	Tested	d-3-Carene	165		ND	Tested
Isopulegol	165		<b>0.132</b>	Tested	a-Phellandrene	165		< LOQ	Tested
Camphene	165		<b>0.119</b>	Tested	Guaiol	165		< LOQ	Tested
Geraniol	165		ND	Tested	Sabinene	165		ND	Tested
Terpinolene	165		ND	Tested	Cedrol	165		ND	Tested
Eucalyptol	165		ND	Tested	Fenchol	165		ND	Tested
Fenchone	165		ND	Tested	trans-b-Ocimene	165		ND	Tested
Sabinene Hydrate	165		ND	Tested	trans-b-Farnesene	165		ND	Tested
Camphor	165		ND	Tested	Terpineol	165		ND	Tested

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Cirona Labs

 Order No.: ONYCIR0820-0002324  
 350 Buell Rd  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

## Sample: SNYCIR0820-CVAP-0009463

 Unit Weight: 1.0000g  
 Batch#: V-UT-SK-01-0824, Batch Size: 1099  
 Sample Received: 08/20/2024 05:27  
 Report Created: 08/23/2024 22:48  
 Sampling SOP 204-NY

## V-UT-SK-01-0824

Concentrates &amp; Extracts, Vape



## Residual Solvents

SOP 612-NY

Date/Time Tested: 08/21/2024 17:30

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	40	5,000	< LOQ	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	40	5,000	< LOQ	Passed
Chloroform	2	60	ND	Passed
Ethanol	2,000	5,000	<b>2,838.7</b>	Passed
Ethyl Acetate	202	5,000	ND	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO		5,000	TIC	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	202	5,000	ND	Passed
Methanol	121	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	60	5,000	ND	Passed
Propane	20	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane		1,500	TIC	Passed
Xylenes	266	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

### Notes:

**LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.**

## Mycotoxins

SOP 808-NY

Date/Time Tested: 08/23/2024 09:41

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.7		ND	Tested	Ochratoxin A	4.7	20.0	ND	Passed
B2	4.7		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.7		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.7		ND	Tested					

### Notes:

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**

## Cirona Labs

Order No.: ONYCIR0820-0002324  
350 Buell Rd  
New York, 14624  
shane@cironalabs.com  
3157770209

## Sample: SNYCIR0820-CVAP-0009463

Unit Weight: 1.0000g  
Batch#: V-UT-SK-01-0824, Batch Size: 1099  
Sample Received: 08/20/2024 05:27  
Report Created: 08/23/2024 22:48  
Sampling SOP 204-NY

## V-UT-SK-01-0824

Concentrates & Extracts, Vape



## Heavy Metals

SOP 250-NY

Date/Time Tested: 08/22/2024 11:57

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.197	2.000	ND	Passed
Arsenic	0.197	0.200	ND	Passed
Cadmium	0.197	0.200	ND	Passed
Chromium	0.197	110.000	ND	Passed
Copper	0.237	30.000	ND	Passed
Mercury	0.047	0.100	ND	Passed
Nickel	0.237	2.000	ND	Passed
Lead	0.197	0.500	ND	Passed

### Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Cirona Labs

Order No.: ONYCIR0820-0002324  
 350 Buell Rd  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

## Sample: SNYCIR0820-CVAP-0009463

Unit Weight: 1.0000g  
 Batch#: V-UT-SK-01-0824, Batch Size: 1099  
 Sample Received: 08/20/2024 05:27  
 Report Created: 08/23/2024 22:48  
 Sampling SOP 204-NY

## V-UT-SK-01-0824

Concentrates & Extracts, Vape



## Pesticides

SOP 814-NY

Date/Time Tested: 08/22/2024 12:35

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.37	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.47	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid		1.00	TIC	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed
MGK-264		0.20	TIC	Passed
Myclobutanil	0.09	0.20	ND	Passed




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

## Cirona Labs

Order No.: ONYCIR0820-0002324  
 350 Buell Rd  
 New York, 14624  
 shane@cironalabs.com  
 3157770209

## Sample: SNYCIR0820-CVAP-0009463

Unit Weight: 1.0000g  
 Batch#: V-UT-SK-01-0824, Batch Size: 1099  
 Sample Received: 08/20/2024 05:27  
 Report Created: 08/23/2024 22:48  
 Sampling SOP 204-NY

### V-UT-SK-01-0824

Concentrates & Extracts, Vape



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin		1.00	ND	Passed
Chloromequat Chloride		1.00	TIC	Passed

**Notes:**

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chloromequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.